

Comprehensive Diabetes Care – Medical Attention for Nephropathy

Measure Description

Percentage of patients 18-75 years of age with diabetes (type 1 or type 2) who had medical attention for nephropathy during the current year.

Documentation Requirements

A nephropathy screening or monitoring test or evidence of nephropathy, as documented:

- Urine test for albumin or protein with a note or lab report with date performed and result)
- Evidence of treatment for nephropathy
- ACE inhibitor/ARB prescription written, or filled or documentation patient took an ACE/ARB
- Evidence of stage 4 CKD
- Evidence of ESRD, or dialysis
- Evidence of kidney transplant

A visit with a nephrologist as identified by the organization's specialty provider codes

Coding Requirements

Urine Protein Test:

CPT: 81000, 81001, 81002, 81003, 81005, 82042-82044, 84156

CPT-CATII: 3060F, 3061F, 3062F

Nephropathy Treatment:

CPT-CATII: 3066F, 4010F

ICD-10: E08.21, E08.22, E08.29, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E11.21, E11.22, E11.29, E13.21, E13.22, E13.29, I12.0, I12.9, I13.0, I13.10, I13.11, I13.2, I15.0, I15.1, N00.0-N00.9, N01.0-N01.9, N02.0-N02.9, N03.0-N03.9, N04.0-N04.9, N05.0-N05.9, N06.0-N06.9, N07.0-N07.9, N08, N14.0-N14.4, N17.0-N17.2, N17.8, N17.9, N18.1-N18.6, N18.9, N19, N25.0, N25.1, N25.81, N25.89, N25.9, N26.1, N26.2, N26.9, Q60.0-Q60.6, Q61.00-Q61.02, Q61.11, Q61.19, Q61.2-Q61.5, Q61.8, Q61.9, R80.0-R80.3, R80.8, R80.9

Exclusions

During the past 2 years, patient had no history of diabetes and a diagnosis of either gestational diabetes or steroid-induced diabetes.